5-27-16 NE Memorial day wknd pelagics

Richard Betts

Tides - Block Island

Day	High	Low	High	Sunrise	Sunset
Sat 28		4:34 PM AST 0.01 ft		5:43 AM AST	6:49 PM AST

Not for Navigation

Solunar Table
5/28/2016

Daily Action Rating 0-5, 5 is BEST 0	Minor Periods 5:48 - 7:18 18:15 - 19:45	Major Periods 0:00 - 0:00 0:00 - 0:00	Sun rise 0:54 transit 6:57 set 13:01	Moon rise 18:45 transit 0:05 set 6:18	Waning Gibbous 58.8 % illuminated 19 days since new

Here is a broad fish here map to put people on fish for the wknd. This is not as comprehensive as a typicl map due to the vastness of the total

area

1) Inner Butterfish hole Bluefin have been here for about 16days fish were originally in the 60-70" range. As of 26 May smaller fish are also present in the 45" range as well. Temps are mid50's good ssh good plankton. This would be best for incoming tide. You can check the tide for the day of departure by using the forecast tab on supermap.Place the mouse then click. You can also use the solunar table for best feeding times which correlate to the best tides to fish. Also in the forecast tab on the map. Fish the features as you find them

Inner BUTTERFISH HOLE
N 040 50.851
W 071 42.928

2) The horns Ryan and Jenny Horn. There is some concentration of plankton between the horns. This has also held bluefin in the 60-70 for 16+days. This would be a dropping tide location so plan your trip to optimize your time here during that tide. Plan to fish both Butterfish and here around the 2 tides and you should do well for a neap tide situation. Like above tidal and solunar forecast is available for free on the supermap. Fish the features asyou find them.

Horns
N 040 45.304
W 071 24.147

3) South end of the dump Fish were reported here from last wknd.Mid 50's good plankton and youcansee through the shots there is a bubble surging into the center of the southern border. This is dividing the water mass the fish are in west side incoming east side outgoing. Fish the features as you find them.

SE corner dump
N 040 40.185
W 070 44.965

SW corner dump
N 040 40.231
W 070 59.918

SW wreck dump
N 040 44.985
W 070 59.995

4) South of the Dip. At about 2000' ssw is a salinity and current break. The water sw ofit is being funneled in from the stream. The 200m sst is much warmer than the 50m sst. This will shuttle swords and tuna mostly bft but bigeye and yft can be present as they are in the eastern canyons. I'd look for swords first priority and then tuna. Gear up as these will be bigger fish. On the 13th in this water mass a boat fought a fish not identified from 0200-0930 when they pulled the hook. Earlier they landed a 95ish" bft that was released. Also if these are here so are large Mako's. If you get into yft they will be smaller. Look for the temps to go from the low to mid 50's to 62.5-64ish.That would be the convergence. There will be a definite color break in the water with the 34+ salinity water.

THE DIP (N.W. EDGE) N 039 55.124
W 071 42.884 The temp break appx N 039 45.291
W 071 33.914

5) SWC of Alvin (West Atl) You can see this water mas has less current and is isolated. It is in an upwelling stage and has been. syft,swords and makos. Early this is prime for big skippys syft and swords. Locate the break and either troll it in the day or be here 1before dark and 1.5hrs before grey light for a sword. The water at 1800 down the west wall is about 59 800yds off to the east on the incoming and start your drift here on the outgoing.These are accessible on the supermap in the forecast tab for free(must be a member)

Alvin tip
N 040 03.591

W 070 29.736

CANYALVIN CANYON (N.W EDGE)
N 039 55.654
W 070 30.253

SE corner W Atl
N 039 52.932
W 070 33.256

NE corner w atl
N 040 00.163
W 070 25.366

6) Atlantis proper. You have a better situation here than w atl due to being on the NE corner of a clockwise rotation in the current. The warmer water is deeper down the east side at about 1700 it warms above 57. Look for 59 and put in for syft or stat your drift on a dropping or pic k up and move south on the incoming. Same deal yft swords bigger skippys and possible bft in the colder water. The plt bloom runs from Nantucket down through here and should have whales baskers dolphins and bait(squid) You can see the 200m shot showing the water warmer than at 50 meters. The light grn is 53.1ish. Perfect for squid and everything that eats them. You can see the spot at 1700on the east side and then in the deeper water The deeper water would be prime for your nighttime swordfish fish heavier set-ups as these are usually larger this early

between Atlantis flats
N 040 01.141
W 070 19.634

Atlantis tip
N 040 05.062
W 070 12.007

Incoming tuna
N 040 00.408
W 070 13.880

Flooding marlin
N 040 00.291
W 070 12.597

Ebb afternoon wahoo
N 039 57.655
W 070 12.522

East side flats
N 039 58.457
W 070 09.896

East atlantis
N 039 58.991
W 070 01.459

7) No name aka Shadow canyon. This is the north western point of the clockwise rotation. This has produced bft and bigeye recently. You can see the rotation and how the currents are slower in one of the shots. It;s 62ish to 64 deeper. Will be blue in color and is part of the shear between the upwelling and the downelling. The mixlayer is better here than welker. Your going to see bft in the colder water and bigeye deeper. The best option would be Gilbert imho however the extra distance isn't worth it in the middle of the waning moon. Swords and Makos should also be present. Swords should be larger so gear up for them.Water starts to climb at 2800'

No name NWC N 040 07.711
W 068 50.472 500ftms east marlin N 040 04.105
W 068 39.028

Chloro-C

SST


SSH

50m-SS


200m-SS

MLD


Salinity



SST-Offshore Data System FH-RI - Mozilla Firefox
map02.saltwatercentral.com/?userid=14280&sessionid=309203&state=FH-RI
Details
Satellite
Weather
Forecast
Seaview
Waypoints
Credits
Help
Layer Options :: Seaview™ Plankton Composite
SPONSORED BY
SeaView Fishing
1
2
3
4
5
6
7
Not for Navigation
SaltwaterCentral.Com
Lat / Lon
N 40 13.781
W 71 8.304
Height
-2.8 in
-7.0 cm
Depth
370 Feet
61 Fathoms
Wind
Chlorophyll
1.0 mg/m3
Salinity
33.1 PSU
Distance
Public Waypoint
Tuna Banks
Search the web and Windows
6:30 PM
5/27/2016


SaltwaterCentral.Com
Sea Surface Temperature




SaltwaterCentral.Com
Sea Surface Height




SST-Offshore Data System FH-RI - Mozilla Firefox
map02.saltwatercentral.com/?userid=14280&sessionid=309203&state=FH-RI
Details
Satellite
Weather
Forecast
Seaview
Waypoints
Credits
Help
Layer Options :: Seaview™ SBST, 50m
SPONSORED BY
SeaView Fishing
North hole w
N 040 17.179
W 068 27.954
Not for Navigation
SaltwaterCentral.Com
Lat / Lon
N 40 38.531
W 71 2.304
Temp.
42.8 F
6.0 C
Height
-2.4 in
-6.0 cm
Depth
218 Feet
36 Fathoms
Wind
Distance
Your Waypoint
New waypoint, 06/11/15 19:08:08
Search the web and Windows
6:39 PM
5/27/2016


SST-Offshore Data System FH-RI - Mozilla Firefox
map02.saltwatercentral.com/?userid=14280&sessionid=309203&state=FH-RI
Details
Satellite
Weather
Forecast
Seaview
Waypoints
Credits
Help
Layer Options :: Seaview™ SBST, 200m
SPONSORED BY
SeaView Fishing
4
5
6
7
Not for Navigation
SaltwaterCentral.Com
Quit Fishing - Start Catching!
Lat / Lon
N 40 30.656
W 71 24.054
Temp.
82.2 F
27.9 C
Height
-2.0 in
-5.0 cm
Depth
226 Feet
37 Fathoms
Wind
Distance
Your Waypoint
New waypoint, 08/14/15 21:03:20
Search the web and Windows
6:42 PM
5/27/2016

SaltwaterCentral.Com
Mixed Layer Depth



SaltwaterCentral.Com
Salinity

